L Number	Hits	Search Text	DB	Time stamp
130	36	linking adj loss	USPAT;	2004/02/04 17:25
			US-PGPUB;	2001/02/01 17:25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
131	611	link\$ adj loss	USPAT;	2004/02/04 17:25
101	011		US-PGPUB;	2001/02/04 17.23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
134	15	(link\$ adj loss) and 369.clas.	USPAT;	2004/02/04 17:29
151	13	(IIIIA) adj 1033) and 303.clas.	US-PGPUB;	2007/02/04 17.29
			EPO; JPO;	
			DERWENT;	
125	50	etuffing and 260 place	IBM_TDB	2004/02/04 47:20
135	50	stuffing and 369.clas.	USPAT;	2004/02/04 17:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1,26	,	260 -1 (: 1 - 4: (4-4 :- 6 :	IBM_TDB	
136	3	369.clas. and (void adj (data or information))	USPAT;	2004/02/04 17:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
137	200	(void adj (data or information))	USPAT;	2004/02/04 17:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
138	70	( (void adj (data or information))) and link\$	USPAT;	2004/02/04 17:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
152	63	(link\$ adj portion) and 369.clas.	USPAT;	2004/02/04 17:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	
211	35	"5187699"	USPAT;	2004/02/04 18:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	09/976277	USPAT;	2004/02/03 10:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	563	369.clas. and (link\$5 near3 (data or information))	USPAT;	2004/02/02 12:37
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1	i		IBM_TDB	
-	76	(369.clas. and (link\$5 near3 (data or information))) and	USPAT;	2004/02/02 12:41
<u> </u>		(dummy near (data or information))	US-PGPUB;	. , = = = =
1		, , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
1			DERWENT;	
	,		IBM_TDB	
				l

	,			
-	412	369/59.25.ccls.	USPAT; US-PGPUB;	2004/02/02 12:41
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	80	369/59.25.ccls. and (link\$5)	USPAT;	2004/02/02 13:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	16	(linking near (data or information)) same (dummy near (data	USPAT;	2004/02/02 13:22
		or information))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3651	(linking near (data or information))	USPAT;	2004/02/02 13:22
	İ		US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	124	((linking near (data or information))) and 369.clas.	USPAT;	2004/02/02 13:22
			US-PGPUB;	
	ļ		EPO; JPO;	
	İ		DERWENT;	
	_		IBM_TDB	
-	7	(last adj sector) same (next adj sector) same link\$	USPAT;	2004/02/02 14:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	980	link\$ near loss	IBM_TDB	2004/02/02 14:49
-	960	IIIK\$ Hedi 1055	USPAT;	2004/02/02 14:48
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	17	link\$ near loss near area	USPAT;	2004/02/02 14:48
	] -	mind flear 1035 flear area	US-PGPUB;	200 1/02/02 11.10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	sector and ((data near identif\$) near area) and (link\$ near	USPAT;	2004/02/02 17:00
1		(information or data))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2926	sector and (link\$ near (information or data))	USPAT;	2004/02/02 17:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	235	(sector and (link\$ near (information or data))) and 369.clas.	USPAT;	2004/02/02 17:05
	İ		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l _	255	(links near (information or data)) (durant or invested)	IBM_TDB	2004/02/02 47:05
-	355	(link\$ near (information or data)) same (dummy or invalid)	USPAT;	2004/02/02 17:05
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	1		IBM_TDB	
	<del></del>	<u> </u>	םטו_ויוטנ	<u> </u>

-	15	((link\$ near (information or data)) same (dummy or invalid)) and 369.clas.	USPAT; US-PGPUB;	2004/02/02 17:22
			EPO; JPO; DERWENT;	
•	1257	369/275.3.ccls.	IBM_TDB USPAT; US-PGPUB;	2004/02/02 17:22
	-		EPO; JPO; DERWENT;	
-	69	369/275.3.ccls. and ((link\$ or boundary) near (data or	IBM_TDB USPAT;	2004/02/02 17:23
		information))	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	7	(link\$ near (data or information)) same (current near sector)	USPAT; US-PGPUB;	2004/02/03 11:13
			EPO; JPO; DERWENT; IBM_TDB	
-	5	(link\$ near (data or information)) same (replace\$) same ((dummy or invalid or padding or padded or predetermined)	USPAT; US-PGPUB;	2004/02/03 11:14
		near data)	EPO; JPO; DERWENT;	
-	6	(link\$ near (data or information)) same (replace\$) same	IBM_TDB USPAT;	2004/02/03 11:15
		((dummy or invalid or padding or padded or predetermined) near (data or information))	US-PGPUB; EPO; JPO;	
_	22	((link\$ near (data or information)) same ((dummy or invalid or	DERWENT; IBM_TDB USPAT;	2004/02/03 11:16
		padding or padded or predetermined) near (data or information))) and 369.clas.	US-PGPUB; EPO; JPO;	200 1/02/03 11/10
			DERWENT; IBM_TDB	
-	362	(link\$ near (data or information)) same ((dummy or invalid or padding or padded or predetermined) near (data or	USPAT; US-PGPUB;	2004/02/03 13:05
		information))	EPO; JPO; DERWENT; IBM_TDB	
-	1	(ecc adj block) and (sector) and (user near data) and (invalid near predetermined)	USPAT; US-PGPUB;	2004/02/03 13:11
			EPO; JPO; DERWENT;	
-	470	(ecc adj block) and (sector) and (user near data)	IBM_TDB USPAT;	2004/02/03 13:29
!			US-PGPUB; EPO; JPO; DERWENT;	
	134	((ecc adj block) and (sector) and (user near data) ) and (data	IBM_TDB USPAT;	2004/02/03 13:11
		near type)	US-PGPUB; EPO; JPO;	
	725	(occadi block) and (cortor) and (linkt) and (invalid or	DERWENT; IBM_TDB	2004/02/02 42:20
-	235	(ecc adj block) and (sector) and (link\$) and (invalid or predetermined or dummy)	USPAT; US-PGPUB; EPO; JPO;	2004/02/03 13:30
			DERWENT; IBM_TDB	

			•	
•	88	((ecc adj block) and (sector) and (link\$) and (invalid or predetermined or dummy)) and 369.clas.	USPAT; US-PGPUB;	2004/02/03 13:39
			EPO; JPO; DERWENT;	
_	26	(link\$ near loss) and (padding or dummy or predetermined)	IBM_TDB USPAT;	2004/02/03 13:46
		and ecc	US-PGPUB; EPO; JPO;	
<u> </u>			DERWENT; IBM_TDB	
-	4	(link\$ near loss) same (next near sector)	USPAT; US-PGPUB;	2004/02/03 13:48
			EPO; JPO; DERWENT;	
_	79	(link\$) same (next near sector)	IBM_TDB USPAT;	2004/02/03 13:48
		(miny) same (next near sector)	US-PGPUB; EPO; JPO;	200 1/02/03 13:10
			DERWENT; IBM_TDB	
-	1845	(link\$ near (data or information)) near4 indicat\$	USPAT; US-PGPUB;	2004/02/04 10:15
			EPO; JPO;	
	95	(/linkt page (data as information)) page4 indicate) and	DERWENT; IBM_TDB	2004/02/04 11:47
-	95	((link\$ near (data or information)) near4 indicat\$) and 369.clas.	USPAT; US-PGPUB;	2004/02/04 11:47
			EPO; JPO; DERWENT;	
-	8827	(link\$ near2 (data or information)) and ((dummy or invalid or	IBM_TDB USPAT;	2004/02/04 11:49
		predetermined) near3 data)	US-PGPUB; EPO; JPO;	+
	255	///:-	DERWENT; IBM_TDB	2004/02/04 44 40
-	255	((link\$ near2 (data or information)) and ((dummy or invalid or predetermined) near3 data)) and 369.clas.	USPAT; US-PGPUB;	2004/02/04 11:49
	1 2		EPO; JPO; DERWENT;	
-	1723	(link\$ near2 (data or information)) and ((dummy or invalid)	IBM_TDB USPAT;	2004/02/04 11:49
		near3 data)	US-PGPUB; EPO; JPO;	
		//// 2/11 12 13 13 14 15 17	DERWENT; IBM_TDB	
7	71	((link\$ near2 (data or information)) and ((dummy or invalid) near3 data)) and 369.clas.	USPAT; US-PGPUB;	2004/02/04 13:36
			EPO; JPO; DERWENT;	
-	37	((dummy or invalid) near3 data) and 00h and 369.clas.	IBM_TDB USPAT;	2004/02/04 13:42
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	911	(link\$ near3 (data or information)) and (nrzi or nrz)	USPAT; US-PGPUB;	2004/02/04 13:43
			EPO; JPO; DERWENT;	
			IBM_TDB	<u> </u>

-	36	((link\$ near3 (data or information)) and (nrzi or nrz)) and 369.clas.	USPAT; US-PGPUB;	2004/02/04 14:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	50	369/59.25.ccls. and (NRZ or NRZI or (return near zero))	USPAT;	2004/02/04 14:42
			US-PGPUB;	
			EPO; JPO;	
İ			DERWENT;	
1	07	260/275 2 sels and (AID7 se AID77 s. / I	IBM_TDB	2004/2010444
-	97	369/275.3.ccls. and (NRZ or NRZI or (return near zero))	USPAT;	2004/02/04 14:44
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1.	17	369/275.3.ccls. and (NRZ or NRZI or (return near zero)) and	IBM_TDB USPAT;	2004/02/04 14:53
	''	link\$	US-PGPUB;	2004/02/04 14:53
		шкф	EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	161	369/53.24.ccls.	USPAT;	2004/02/04 14:53
		, - 2 · <del>- · · - · · - ·</del>	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	38	369/53.24.ccls. and (link\$)	USPAT;	2004/02/04 14:55
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	469	((link\$) same ((dummy or invalid or null) near (information or	USPAT;	2004/02/04 15:48
		data)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	3530	links none (ochomo ou pues)	IBM_TDB	2004/02/04 46 24
-	3520	link\$ near (scheme or area)	USPAT;	2004/02/04 16:21
			US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM_TDB	
-	892	link\$ same padding	USPAT;	2004/02/04 16:21
	0,72	i ming same padding	US-PGPUB;	200 1/02/07 10.21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	240	link\$ same padding same end	USPAT;	2004/02/04 16:22
			US-PGPUB;	, , , ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(link\$ same padding) and 369.clas.	USPAT;	2004/02/04 16:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		200 des and mad B	IBM_TDB	
-	105	369.clas. and padding	USPAT;	2004/02/04 16:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	

-	28	369.clas. and (finish\$ adj data)	USPAT; US-PGPUB;	2004/02/04 16:49
			EPO; JPO;	
			DERWENT;	
			IBM TDB	